

ALDILA METALWOOD CUSTOM SHAFT OPTIONS					aldila.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Rogue Silver 60	X	72	3.1	0.335	0.600	Mid-Low	Mid-Low	Firm
	S	69	3.4	0.335	0.600	Mid-Low	Mid-Low	Mid
	R	67	3.8	0.335	0.600	Mid-Low	Mid-Low	Mid
Rogue Silver 70	X	78	2.8	0.335	0.600	Mid-Low	Low	Firm
	S	77	3.1	0.335	0.600	Mid-Low	Low	Firm
Rogue Black 60	X	70	3.3	0.335	0.600	Mid-High	Mid	Mid
	S	68	3.6	0.335	0.600	Mid-High	Mid	Mid
	R	66	4.0	0.335	0.600	Mid-High	Mid	Soft
Rogue Black 70	X	75	3.0	0.335	0.600	Mid	Mid	Firm
	S	74	3.3	0.335	0.600	Mid	Mid	Mid
Tour Green 65	X	69	3.5	0.335	0.600	Low-Mid	Low	Firm
	S	67	3.9	0.335	0.600	Low-Mid	Low	Firm
Tour Green 75	X	75	3.3	0.335	0.600	Low-Mid	Low	Firm
	S	74	3.7	0.335	0.600	Low-Mid	Low	Firm
Tour Blue 65	X	71	3.2	0.335	0.600	Mid-high	Mid-High	Mid
	S	69	3.7	0.335	0.600	Mid-high	Mid-High	Mid

FujiKura METALWOOD CUSTOM SHAFTS OPTIONS					FujiKuragolf.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Speeder 661 Evolution Tour Spec	X	67	3.5	0.335	0.600	Mid-low	Mid	Mid
	S	66	3.5	0.335	0.600	Mid-low	Mid	Mid
	R	65	3.5	0.335	0.600	Mid-low	Mid	Mid
Speeder 757 Evolution Tour Spec	X	79	2.6	0.335	0.600	Mid-Low	Low	Firm
	S	78	2.6	0.335	0.600	Mid-Low	Low	Firm
	R	77	2.6	0.335	0.600	Mid-Low	Low	Firm
Speeder 869 Evolution Tour Spec	X	95	2.6	0.370	0.600	Mid	Low	Firm
	S	93	2.6	0.370	0.600	Mid	Low	Firm
Pro 53	S	57	4.1	0.335	0.600	Mid	Mid	Soft
	R	56	4.1	0.335	0.600	Mid	Mid	Soft
Pro 73	X	75	3.4	0.335	0.600	Mid	Mid-Low	Mid
	S	74	3.4	0.335	0.600	Mid	Mid-Low	Mid
Pro 60	X	68	3.2	0.335	0.620	Mid-High	Mid	Soft
	S	65	3.6	0.335	0.620	Mid-High	Mid	Soft
	R	64	3.8	0.335	0.620	Mid-High	Mid	Soft
	M	60	4.1	0.335	0.620	Mid-High	Mid	Soft
Pro 70	X	77	3.3	0.335	0.600	Mid-High	Mid-Low	Mid
	S	75	3.5	0.335	0.600	Mid-High	Mid-Low	Mid
	R	74	3.7	0.335	0.600	Mid-High	Mid-Low	Mid
	M	71	4.2	0.335	0.600	Mid-High	Mid-Low	Mid
Pro 80h	X	87	3.1	0.370	0.600	Mid	Mid	Mid
	S	86	3.2	0.370	0.600	Mid	Mid	Mid
	R	84	3.5	0.370	0.600	Mid	Mid	Mid
	M	79	4.1	0.370	0.600	Mid	Mid	Mid

GRAPHITE DESIGN METALWOOD CUSTOM SHAFTS OPTIONS					proschoicegolfshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Tour AD Di6	X	66.5	3.3	0.335	0.600	High	Low	Mid
	S	65	3.3	0.335	0.600	High	Low	Mid
Tour AD Di7	X	75	3.2	0.335	0.600	Mid-High	Low	Mid
	S	74	3.2	0.335	0.600	Mid-High	Low	Mid

CUSTOM METALWOOD SHAFT OPTIONS //



MATRIX METALWOOD CUSTOM SHAFTS OPTIONS					matrixshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Ozik White Tie 50X4	S	57	4.1	0.335	0.600	High	Mid	Mid
	R	55	4.2	0.335	0.600	High	Mid	Mid
	A	53	4.2	0.335	0.600	High	Mid	Mid
Ozik White Tie 60X4	X	67	4.1	0.335	0.600	High	Mid	Mid
	S	65	4.1	0.335	0.600	High	Mid	Mid
	R	63	4.2	0.335	0.600	High	Mid	Mid
Ozik White Tie 70X4	X	78	4.2	0.335	0.600	High	Mid-Low	Mid
	S	75	4.3	0.335	0.600	High	Mid-Low	Mid
	R	73	4.3	0.335	0.600	High	Mid-Low	Mid
Ozik Red Tie 60Q4	X	69	3.2	0.335	0.600	Mid	Mid	Mid
	S	67	3.3	0.335	0.600	Mid	Mid	Mid
Ozik Black Tie 60M4	X	67.5	3.3	0.335	0.600	Low	Low	Firm
	S	65.5	3.4	0.335	0.600	Low	Low	Firm
Ozik Black Tie 70M4	X	77	2.7	0.335	0.600	Low	Low	Firm
	S	75	2.8	0.335	0.600	Low	Low	Firm
Ozik White Tie HX4	X	84	2.7	0.370	0.600	High	Mid	Mid
	S	82	2.7	0.370	0.600	High	Mid	Mid
	R	80	2.7	0.370	0.600	High	Mid	Mid

MITSUBISHI METALWOOD CUSTOM SHAFTS OPTIONS					mitsubishirayongolf.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Fubuki J 60	X	66	3.9	0.335	0.600	Mid	Mid	Mid
	S	64	3.9	0.335	0.600	Mid	Mid	Mid
	R	61	3.9	0.335	0.600	Mid	Mid	Mid
Fubuki J 70	X	74	3.6	0.335	0.600	Mid	Mid	Mid
	S	72	3.6	0.335	0.600	Mid	Mid	Mid
Diamana S+ 60	X	67	3.7	0.335	0.600	Mid	Mid	Mid
	S	64	4.5	0.335	0.600	Mid	Mid	Soft
Diamana D+ 60	X	67	3.5	0.335	0.600	Low	Low	Firm
	S	65	3.6	0.335	0.600	Low	Low	Firm
Diamana D+ 70	X	75	3.5	0.335	0.600	Low	Low	Firm
	S	74	3.6	0.335	0.600	Low	Low	Firm
Kuro Kage Silver TiNi 60	X	69	3.3	0.335	0.600	Mid-High	Mid-Low	Firm
	S	67	4.4	0.335	0.600	Mid-High	Mid-Low	Soft
	R	65	4.6	0.335	0.600	Mid-High	Mid-Low	Soft
Kuro Kage Silver TiNi 70	S	76	4.1	0.335	0.600	Mid	Mid-Low	Firm
	X	77	2.8	0.335	0.600	Mid	Mid-Low	Firm
Kuro Kage Black 50	S	61	3.5	0.335	0.600	Mid-High	Mid-High	Mid

UST METALWOOD CUSTOM SHAFTS OPTIONS					ustmamiya.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Elements CHROME 65	X	68	3.8	0.335	0.600	Mid	Low	Firm
	S	66	4.8	0.335	0.600	Mid-high	Mid-Low	Soft
	R	66	4.8	0.335	0.600	Mid-high	Mid	Soft
Elements CHROME 75	X	77	2.9	0.335	0.600	Mid-Low	Low	Firm
	S	75	3.5	0.335	0.600	Mid-Low	Low	Mid

CUSTOM IRON SHAFT OPTIONS //



KBS IRON/WEDGE CUSTOM SHAFTS OPTIONS					kbsgolfshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
C-Taper Lite	X	115	2.1	0.355	0.600	Mid-High	Mid-High	Mid
	S	110	2.1	0.355	0.600	Mid-High	Mid-High	Mid
	R	105	2.2	0.355	0.600	Mid-High	Mid-High	Mid
C-Taper	X	130	1.8	0.355	0.600	Low	Low	Firm
	S	120	1.9	0.355	0.600	Low	Low	Firm
Tour 105	S	105	2.5	0.370	0.600	Mid-High	Mid	Mid
	R	105	2.5	0.370	0.600	Mid-High	Mid	Mid
KBS Tour (.370)	S	130	1.2	0.370	0.600	Mid	Mid-High	Soft
	R	120	1.3	0.370	0.600	Mid	Mid-High	Soft
KBS Tour	X	130	1.2	0.355	0.600	Mid	Mid	Mid
	S	120	1.3	0.355	0.600	Mid	Mid	Mid
	R	110	1.5	0.355	0.600	Mid	Mid	Mid
KBS 90	S	102	1.5	0.370	0.600	Mid-High	High	Soft
	R	101	1.5	0.370	0.600	Mid-High	High	Soft

MITSUBISHI IRON/WEDGE CUSTOM SHAFTS OPTIONS					mitsubishirayongolf.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
KuroKage Silver	X	100	3.2	0.370	0.600	Mid-Low	Mid-Low	Mid
	S	93	3.8	0.370	0.600	Mid	Mid	Mid
	R	80	3.9	0.370	0.600	Mid	Mid	Mid

NIPPON IRON/WEDGE CUSTOM SHAFTS OPTIONS					nipponshaft.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
NS Pro 950GH (0.370)	S	98	1.9	0.370	0.610	High	High	Soft
	R	95	2.0	0.370	0.610	High	High	Soft
NS Pro 950GH	S	98	1.9	0.355	0.610	High	High	Soft
	R	95	2.0	0.355	0.610	High	High	Soft
NS Pro Modus 3 120	S	114	1.5	0.355	0.600	Mid-Low	Mid-Low	Firm
	R	111	1.6	0.355	0.600	Mid-Low	Mid-Low	Firm
NS Pro Modus 3 130 (0.370)	S	124	1.5	0.370	0.600	Mid	Mid-Low	Firm
	R	121	1.5	0.370	0.600	Mid	Mid-Low	Firm
NS Pro Modus 3 130	S	124	1.5	0.370	0.600	Mid	Low-Mid	Firm
	R	121	1.5	0.370	0.600	Mid	Low-Mid	Firm

PROJECT X IRON/WEDGE CUSTOM SHAFTS OPTIONS					pxshaft.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Rifle Project X (.370)	6.5	130	1.2	0.370	0.600	Low	Mid-Low	Low
	6	95	1.3	0.370	0.600	Low	Mid-Low	Mid
	5.5	115	1.4	0.370	0.600	Low	Mid-Low	Mid
Rifle Project X	6.5	130	1.2	0.355	0.600	Low	Mid-Low	Low
	6	125	2.0	0.355	0.600	Low	Mid-Low	Mid
	5.5	115	1.4	0.355	0.600	Low	Mid-Low	Mid

TRUE TEMPER IRON/WEDGE CUSTOM SHAFTS OPTIONS					truetemper.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Dynamic Gold (.370)	X100	134	1.5	0.355	0.600	Low	Low	Firm
	S300	130	1.6	0.355	0.600	Low	Low	Firm
	R300	127	1.7	0.355	0.600	Low	Low	Firm
Dynamic Gold	X100	130	1.5	0.355	0.600	Low	Low	Firm
	S300	130	1.8	0.355	0.600	Low	Low	Firm
	R300	127	1.8	0.355	0.600	Low	Low	Firm
Dynamic Gold Super Light	S300	106	1.4	0.370	0.600	Low	Low	Firm
	R300	106	1.7	0.370	0.600	Low	Low	Firm
XP	S300	94	1.0	0.370	0.600	Mid-High	Mid	Firm
	R300	94	1.8	0.370	0.600	Mid-High	Mid	Firm