



CUSTOM COMPONENT OPTIONS

2020 METALWOODS



SIM DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM DRIVER	8.0°	RH	56°- 60°	460CC	45.75"	D4 (HZRDUS D5)
SIM DRIVER	9.0°	RH/LH	56°- 60°	460CC	45.75"	D4 (HZRDUS D5)
SIM DRIVER	10.5°	RH/LH	56°- 60°	460CC	45.75"	D4 (HZRDUS D5)



METALWOODS

SIM MAX DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM MAX DRIVER	9.0°	RH/LH	56°- 60°	460CC	45.75"	D3
SIM MAX DRIVER	10.5°	RH/LH	56°- 60°	460CC	45.75"	D3
SIM MAX DRIVER	12.0°	RH	56°- 60°	460CC	45.75"	D3
SIM MAX WOMEN'S DRIVER	10.5°	RH	56°- 60°	460CC	43.75"	C6
SIM MAX WOMEN'S DRIVER	12.0°	RH	56°- 60°	460CC	43.75"	C6



SIM MAX-D DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM MAX-D DRIVER	9.0°	RH/LH	56°- 60°	460CC	45.75"	D3
SIM MAX-D DRIVER	10.5°	RH/LH	56°- 60°	460CC	45.75"	D3
SIM MAX-D DRIVER	12.0°	RH	56°- 60°	460CC	45.75"	D3
SIM MAX-D WOMEN'S DRIVER	10.5°	RH	56°- 60°	460CC	43.75"	C5
SIM MAX-D WOMEN'S DRIVER	12.0°	RH	56°- 60°	460CC	43.75"	C5



2020 METALWOODS



SIM[™] TITANIUM FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM FAIRWAY	ROCKET 3	14°	RH	57.5°-59.5°	180CC	43.25"	D3
SIM FAIRWAY	3	15°	RH/LH	57.5°-59.5°	180CC	43.25"	D3
SIM FAIRWAY	5	19°	RH/LH	58°-60°	155CC	42.25"	D3



SIM[™] MAX FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM MAX FAIRWAY	ROCKET 3	14°	RH	59°	185CC	43.25"	D3
SIM MAX FAIRWAY	3	15°	RH/LH	59°	185CC	43.25"	D3
SIM MAX FAIRWAY	5	18°	RH/LH	59.5°	160CC	42.25"	D3
SIM MAX FAIRWAY	7	21°	RH/LH	60°	160CC	41.75"	D3
SIM MAX FAIRWAY	9	24°	RH	60.5°	145CC	41.25"	D3
SIM MAX WOMEN'S FAIRWAY	3	15°	RH	59°	185CC	42.00"	C5
SIM MAX WOMEN'S FAIRWAY	5	18°	RH	59.5°	160CC	41.00"	C5
SIM MAX WOMEN'S FAIRWAY	7	21°	RH	60°	160CC	40.50"	C5
SIM MAX WOMEN'S FAIRWAY	9	24°	RH	60.5°	145CC	40.00"	C5



SIM[™] MAX-D FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM MAX-D FAIRWAY	3	16°	RH/LH	59°	190CC	43.25"	D2
SIM MAX-D FAIRWAY	5	19°	RH/LH	59.5°	165CC	42.25"	D2
SIM MAX-D FAIRWAY	7	22°	RH	60°	165CC	41.75"	D2
SIM MAX-D WOMEN'S FAIRWAY	3	16°	RH	59°	190CC	42.00"	C7
SIM MAX-D WOMEN'S FAIRWAY	5	19°	RH	59.5°	165CC	41.00"	C7
SIM MAX-D WOMEN'S FAIRWAY	7	22°	RH	60°	165CC	40.50"	C7



SIM[™] MAX RESCUE[™]

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
SIM MAX RESCUE	3	19°	RH/LH	60°	40.75"	D3
SIM MAX RESCUE	4	22°	RH/LH	60.5°	40.25"	D3
SIM MAX RESCUE	5	25°	RH/LH	61°	39.75"	D3
SIM MAX RESCUE	6	28°	RH	61.5°	39.25"	D3
SIM MAX RESCUE	7	31°	RH	62°	38.75"	D3
SIM MAX WOMEN'S RESCUE	4	22°	RH	60.5°	39.25"	C8
SIM MAX WOMEN'S RESCUE	5	25°	RH	61°	38.75"	C8
SIM MAX WOMEN'S RESCUE	6	28°	RH	61.5°	38.25"	C8
SIM MAX WOMEN'S RESCUE	7	31°	RH	62°	37.75"	C8



METALWOODS

2020 IRONS



SIM MAX IRONS

CLUB	4	5	6	7	8	9	PW	AW	SW	LW
LOFT	19°	21.5°	25.0°	28.5°	32.5°	38.0°	43.5°	49.0°	54.0°	59.0°
LIE	61.5°	62.0°	62.5°	63.0°	63.5°	64.0°	64.5°	64.5°	64.5°	64.5°
OFFSET	5.8mm	5.2mm	4.7mm	4.2mm	3.5mm	3.0mm	2.6mm	2.0mm	1.5mm	1.5mm
BOUNCE	2°	3°	5°	5°	6.5°	7°	7.5°	7.5°	9°	9°
LENGTH (ST/GR)	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
SWINGWEIGHT (ST/GR)	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D3/D1	D3/D1
SWINGWEIGHT (WOMEN'S)	C2	C2	C2	C2	C2	C2	C2	C2	C4	C4
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



IRONS

SIM MAX OS IRONS

CLUB	4	5	6	7	8	9	PW	AW	SW	LW
LOFT	18°	20°	23.5°	27.0°	31.5°	36.5°	42.0°	48.0°	54.0°	59.0°
LIE	61.5°	62.0°	62.5°	63.0°	63.5°	64.0°	64.5°	64.5°	64.5°	64.5°
OFFSET	6.7mm	6.2mm	5.7mm	5.2mm	3.5mm	2.7mm	2.6mm	2.6mm	1.5mm	1.5mm
BOUNCE	2°	3°	5°	5°	6.5°	7°	7.5°	7.5°	9°	9°
LENGTH (ST/GR)	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
SWINGWEIGHT (ST/GR)	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D2/D1	D3/D2
SWINGWEIGHT (WOMEN'S)	C2	C2	C2	C2	C2	C2	C2	C2	C2	C3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



P.790

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	19°	21°	23.5°	26.5°	30.5°	35°	40°	45°	50°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°
OFFSET	3.5mm	3.4mm	3.1mm	2.9mm	2.7mm	2.4mm	2.1mm	1.8mm	1.6mm
BOUNCE	0°	1°	2°	3°	4.5°	6.5°	8.5°	10.5°	11.5°
LENGTH (ST/GR)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT (ST/GR)	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D3/D1	D3/D1
LEFT HAND	YES	YES	YES	YES	YES	YES	YES	YES	YES



P.790 TI

CLUB	4	5	6	7	8	9	PW	AW
LOFT	19°	21.5°	25°	28.5°	32.5°	38°	43.5°	49°
LIE	61°	61.5°	62°	62.5°	63°	63.5°	64°	64.5°
OFFSET	3.9mm	3.6mm	3.4mm	3.2mm	2.9mm	2.6mm	2.3mm	2.1mm
BOUNCE	2°	3°	4°	5.5°	7.5°	9.5°	10.5°	11.5°
LENGTH (ST/GR)	38.50"	38"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT (ST/GR)	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1.5/D0	D1.5/D0



2020 IRONS



P.760

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	19.5°	22.5°	25.5°	29°	33°	37°	41.5°	46°	51°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°
OFFSET	3.3mm	3.1mm	2.8mm	2.5mm	2.3mm	2.1mm	1.9mm	1.7mm	1.6mm
BOUNCE	0°	1°	2.5°	4°	5.5°	7°	8°	10°	10°
STEEL LENGTH	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT	D2	D2	D2	D2	D2	D2	D2	D3	D3
LEFT HAND	YES	YES	YES	YES	YES	YES	YES	YES	NO



P.7TW

CLUB	3	4	5	6	7	8	9	PW
LOFT	21°	24°	27°	31°	35°	39°	43°	47°
LIE	59.5°	60°	60.5°	61°	61.5°	62.5°	63°	63.5°
OFFSET	2.3mm	1.9mm	1.9mm	1.8mm	1.4mm	1.2mm	1.3mm	0.7mm
STEEL LENGTH	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"
SWINGWEIGHT	D3	D3	D3	D3	D3	D3	D3	D3
LEFT HAND	NO	NO	NO	NO	NO	NO	NO	NO



IRONS

2020 WEDGES



MILLED GRIND 2

CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH	GROOVE
STANDARD BOUNCE (SB)	48°	35.75"	9°	64°	RH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW
STANDARD BOUNCE (SB)	50°	35.50"	9°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE (SB)	52°	35.50"	9°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE (SB)	54°	35.25"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE (SB)	56°	35.25"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE (SB)	58°	35"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE (SB)	60°	35"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE (LB)	54°	35.25"	8°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE (LB)	56°	35.25"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE (LB)	58°	35"	8°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE (LB)	60°	35"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW

HI-TOE



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH	GROOVE
HI-TOE WEDGE	58°	35.00"	ATV	64°	RH/LH	D5	KBS HI-REV 2.0 115G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	60°	35.00"	ATV	64°	RH/LH	D5	KBS HI-REV 2.0 115G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	64°	35.00"	ATV	64°	RH	D5	KBS HI-REV 2.0 115G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	50°	35.50"	09°	64°	RH	D3	KBS HI-REV 2.0 120G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	52°	35.50"	09°	64°	RH/LH	D3	KBS HI-REV 2.0 120G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	54°	35.25"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 120G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WEDGE	56°	35.25"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 120G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17

HI-TOE BIG FOOT



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH	GROOVE
HI-TOE WIDE SOLE	58°	35"	15°	64°	RH	STL D5 / GRP D3	KBS HI-REV 2.0 115G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17
HI-TOE WIDE SOLE	60°	35"	15°	64°	RH	STL D5 / GRP D3	KBS HI-REV 2.0 115G	8620 CARBON STEEL	AGED COPPER FINISH	ZTP-17

2020 PUTTERS




IMAGE	TYPE	HOSEL	HAND	SIGHTLINE	TOE HANG	OFFSET	LENGTH	LOFT	LIE	PUREROLL INSERT	INSERT FEEL
1	COPPER / WHITE	SMALL SLANT	RH/LH	OES	30°	3/4 SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
2	COPPER / WHITE	SINGLE BEND	RH/LH	OES	FACE BALANCED	FULL SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
3	NAVY	SMALL SLANT	RH/LH	SINGLE LINE	30°	3/4 SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
4	NAVY / WHITE	SMALL SLANT	RH/LH	OES	30°	3/4 SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
5	NAVY / WHITE	SINGLE BEND	RH/LH	OES	FACE BALANCED	FULL SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
6	CHALK / WHITE	SMALL SLANT	RH/LH	OES	30°	3/4 SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
7	CHALK / WHITE	SINGLE BEND	RH/LH	OES	FACE BALANCED	FULL SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM

* LH = 34", 35" ONLY



IMAGE	TYPE	HOSEL	HAND	SIGHTLINE	TOE HANG	OFFSET	LENGTH	LOFT	LIE	PUREROLL INSERT	INSERT FEEL
1	NAVY	SINGLE BEND	RH/LH	THREE SIGHTLINES	FACE-BALANCED	FULL SHAFT	33", 34", 35"	2.5°	70°	5MM SURLYN	MEDIUM
2	CHALK	SINGLE BEND	RH/LH	THREE SIGHTLINES	FACE-BALANCED	FULL SHAFT	33", 34", 35"	2.5°	70°	5MM SURLYN	MEDIUM

* LH = 34", 35" ONLY



IMAGE	TYPE	HOSEL	HAND	SIGHTLINE	TOE HANG	OFFSET	LENGTH	LOFT	LIE	PUREROLL INSERT	INSERT FEEL
1	ARDMORE 1	SINGLE BEND	RH	TWO-CAVITY, ONE TOP	FACE BALANCED	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
2	ARDMORE 2	SINGLE BEND	RH/LH	TWO-CAVITY	FACE BALANCED	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
3	ARDMORE 3	SHORT SLANT	RH/LH	ONE CAVITY	42°	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
4	JUNO	L-NECK	RH	ONE-CAVITY	36°	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
5	SOTO	LONG CURVE	RH/LH	ONE-CAVITY	47°	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
6	DEL MONTE	SINGLE BEND	RH	ONE-CAVITY	8°	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM
7	DU PAGE	SINGLE BEND	RH/LH	ONE-CAVITY	FACE BALANCED	FULL SHAFT	34", 35"	3.5°	70°	5MM ALUMINUM	FIRM




IMAGE	TYPE	HOSEL	HAND	SIGHTLINE	TOE HANG	OFFSET	LENGTH	LOFT	LIE	PUREROLL INSERT	INSERT FEEL
1	TB1	TRUSS HEEL	RH/LH	ONE-CAVITY	16°	FULL SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
2	TB2	TRUSS CENTER	RH	ONE-CAVITY	FACE-BALANCED	HALF SHAFT	34", 35"	3°	70°	5MM SURLYN	MEDIUM
3	TM1	TRUSS HEEL	RH/LH	ONE-CAVITY	10°	FULL SHAFT	33", 34", 35"	3°	70°	5MM SURLYN	MEDIUM
4	TM2	TRUSS CENTER	RH	ONE-CAVITY	FACE-BALANCED	HALF SHAFT	34", 35"	3°	70°	5MM SURLYN	MEDIUM

* LH = 34", 35" ONLY

BUILD INFO



DRIVER	LOFT SLEEVE ADJUSTMENTS			MWT	TIP DIAMETER
	LOFT	FACE ANGLE	LIE		
	2° +/-	4° +/-	STD - 4° UPRIGHT	YES	0.335
	2° +/-	4° +/-	STD - 4° UPRIGHT	NO	0.335
	2° +/-	4° +/-	STD - 4° UPRIGHT	NO	0.335

FAIRWAY	LOFT SLEEVE ADJUSTMENTS			MWT	TIP DIAMETER
	LOFT	FACE ANGLE	LIE		
	2° +/-	4° +/-	STD - 4° UPRIGHT	NO	0.335
	NA	NA	NA	NO	0.335
	NA	NA	NA	NO	0.335

HYBRIDS	LOFT SLEEVE ADJUSTMENTS		MWT	TIP DIAMETER
	LOFT	LIE		
	NA	NA	NO	0.370

IRONS	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP	STOCK LENGTHS	CUSTOM LENGTHS
P·7TW	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·760	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·790	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
P·790TI	-2°	2° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE
	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE

WEDGES	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP
	2° +/-	2° +/-	0.355 (TAPER)
	2° +/-	2° +/-	0.355 (TAPER)
	2° +/-	2° +/-	0.355 (TAPER)
	2° +/-	2° +/-	0.355 (TAPER)

BUILD

PROGRESSIVE VS. TRADITIONAL LENGTH IRONS

IRON LENGTH NOTIFICATION

Starting in 2009, TaylorMade has offered 2 different lengths of irons referred to as Progressive Length & Traditional Length. Each length is designed to offer the best performance for a given iron design. The Progressive length is only offered in SIM Max and SIM Max OS irons. Traditional lengths are used in all player iron offerings, such as our P-700 Series irons.

WHAT IS THE DIFFERENCE BETWEEN THE LENGTHS OF IRONS?

See below the actual lengths of an iron built at Progressive and Traditional specifications.

	4 IRON	5 IRON	6 IRON	7 IRON	8 IRON	9 IRON	PW	AW	SW	LW
Progressive	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
Traditional	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.25"	35.00"

WHAT IS THE BENEFIT OF PROGRESSIVE LENGTHS?

Progressive lengths offer golfers improved distance and gapping.

WHAT IS AVAILABLE IN PROGRESSIVE AND TRADITIONAL LENGTHS?

SIM		P SERIES	
Progressive Length	Traditional Length	Progressive Length	Traditional Shafts
All Stock and Custom Shafts	Not Available	Not Available	All Stock and Custom Shafts

CUSTOM METALWOOD SHAFT OPTIONS



		LAUNCH					
		LOW	LOW-MID	MID	MID-HIGH	HIGH	
SPIN	HIGH					NV 45 (L)	
						FUJIKURA VENTUS BLUE 5 HY (A)	
						MCA BASSARA 42 (A)	
						MCA BASSARA E55 HY (A)	
	MID-HIGH					FUJIKURA VENTUS BLUE 7 HY (S)	FUJIKURA VENTUS BLUE 6 HY (R)
						KBS HYBRID 80 (X,S) 70 (R) 60 (A)	MCA BASSARA 42 (R)
							MCA BASSARA E60 HY (R)
							UST HELIUM 5 (S,R) 4 (A)
							UST HELIUM 50 (S,R,A)
							UST PROFORCE V2 HL 50 (S,R,A) UST PROFORCE V2 HL 65 HYBRID (S,R,A)
	MID				ALDILA QUARANTA BLUE 40 (R,A,L)	FUJIKURA VENTUS RED (S,R,A)	
					FUJIKURA VENTUS BLUE 6 FW (X,S)	FUJIKURA VENTUS BLUE 5 FW (R,A)	
				MCA TENSEI CK BLUE 60 (X,S,R) 70 (X,S)			
				PROJECT X RIPTIDE 50 (R) 60 (X,S) 70 (X,S)	UST PROFORCE V2 HYBRID 85 (X,S,R)		
				PROJECT X RIPTIDE CB 40 (L,A) 50 (R,A) 60 (R)			
MID-LOW		MCA TENSEI CK WHITE 60 / 70 (X,S)		FUJIKURA VENTUS BLUE 6 (X,S,R)		GRAPHITE DESIGN IZ4 (R,A)	
		OBAN KIYOSHI (X)					
				MCA DIAMANA S LTD 60 (X,S,R)			
				MCA DIAMANA FW LTD 75 (X,S) 65 (R,A)			
				UST PROFORCE V2 60 (S,R)			
LOW			ALDILA ROGUE SILVER 60 / 70 (X,S)		GRAPHITE DESIGN DI 7 (X,S)	GRAPHITE DESIGN IZ 6 / 7 (X,S)	
				UST PROFORCE V2 70 (X,S)		GRAPHITE DESIGN DI 6 (X,S)	
		PROJECT X HZRDUS SMOKE GREEN 60 / 70 (X,S)					
		PROJECT X HZRDUS SMOKE YELLOW 60 / 70 (X,S)					
		PROJECT X HZRDUS SMOKE BLACK 60 / 70 (X,S) PROJECT X HZRDUS SMOKE BLACK 90 HY (X) 80 (S)					

METALWOOD SHAFTS


CUSTOM METALWOOD SHAFT OPTIONS



ALDILA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
QUARANTA BLUE 40	R	45g	6.7	0.335	Mid	Mid	+3/4" / -2"
QUARANTA BLUE 40	A	44g	6.8	0.335	Mid	Mid	+3/4" / -2"
QUARANTA BLUE 40	L	43g	6.9	0.335	Mid	Mid	+1" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
ROGUE SILVER 110 60	X	67g	3.4	0.335	Mid / Low	Low	+3/4" / -2"
ROGUE SILVER 110 60	S	63g	3.5	0.335	Mid / Low	Low	+3/4" / -2"
ROGUE SILVER 110 70	X	73g	2.9	0.335	Mid / Low	Low	+3/4" / -2"
ROGUE SILVER 110 70	S	72g	3.2	0.335	Mid / Low	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
NV 45	L	47g	5.9	0.335	High	High	+3/4" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
VENTUS BLUE 6	X	65g	3.7	0.335	Mid	Mid-Low	+ .25" / -2"
VENTUS BLUE 6	S	64g	3.8	0.335	Mid	Mid-Low	+ .25" / -2"
VENTUS BLUE 6	R	63g	3.9	0.335	Mid	Mid-Low	+ .25" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
VENTUS RED 5	S	55g	3.9	0.335	Mid-High	Mid	+ .25" / -2"
VENTUS RED 5	R	54g	4.1	0.335	Mid-High	Mid	+ .25" / -2"
VENTUS RED 5	A	53g	4.3	0.335	Mid-High	Mid	+ .25" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
VENTUS BLUE 6 FW	X	63g	3.6	0.335	Mid	Mid	+ .25" / -2"
VENTUS BLUE 6 FW	S	62g	3.8	0.335	Mid	Mid	+ .25" / -2"
VENTUS BLUE 5 FW	R	56g	4.0	0.335	Mid-High	Mid	+ .25" / -2"
VENTUS BLUE 5 FW	A	55g	4.2	0.335	Mid-High	Mid	+ .25" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
VENTUS BLUE 7 HYBRID	S	76g	2.8	0.370	Mid-High	Mid-High	+1.5" / -2"
VENTUS BLUE 6 HYBRID	R	66g	3.0	0.370	High	Mid-High	+1.5" / -2"
VENTUS BLUE 5 HYBRID	A	56g	3.4	0.370	High	High	+1.5" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
Speeder Evolution III 661	X	68g	3.2	0.335	Mid	Mid	-2"
	S	66.5g	3.2	0.335	Mid	Mid	-2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
Speeder 757 Evolution Tour Spec	X	79g	2.6	0.335	Mid-Low	Low	-2"
	S	78g	2.6	0.335	Mid-Low	Low	-2"

CUSTOM METALWOOD SHAFT OPTIONS



FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PRO 73	X	78g	3.4	0.335	Mid-Low	Mid	+3/4" / -2"
PRO 73	S	77g	3.4	0.335	Mid-Low	Mid	+3/4" / -2"
PRO 53	S	60g	4.1	0.335	Mid	Mid	+3/4" / -2"
PRO 53	R	60g	4.1	0.335	Mid	Mid	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
Speeder 869 Evolution TS Hybrid	X	95g	2.6	0.370	Mid	Low	-1"
	S	93g	2.6	0.370	Mid	Low	-1"

GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TOUR AD IZ 4	R	47g	5.6	0.335	High	Mid-Low	+3/4" / -2"
TOUR AD IZ 4	A	46g	5.6	0.335	High	Mid-Low	+3/4" / -2"
TOUR AD IZ 6	X	65g	3.2	0.335	High	Low	+3/4" / -2"
TOUR AD IZ 6	S	63g	3.2	0.335	High	Low	+3/4" / -2"
TOUR AD IZ 7	X	74g	3.1	0.335	High	Low	+3/4" / -2"
TOUR AD IZ 7	S	72g	3.1	0.335	High	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TOUR AD DI 6	X	67g	3.3	0.335	High	Low	+3/4" / -2"
TOUR AD DI 6	S	65g	3.3	0.335	High	Low	+3/4" / -2"
TOUR AD DI 7	X	75g	3.1	0.335	Mid-High	Low	+3/4" / -2"
TOUR AD DI 7	S	74g	3.2	0.335	Mid-High	Low	+3/4" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
KBS HYBRID 80	X	82g	2.1	0.370	Mid-High	Mid-High	+2" / -2"
KBS HYBRID 80	S	81g	2.3	0.370	Mid-High	Mid-High	+2" / -2"
KBS HYBRID 70	R	77g	2.3	0.370	Mid-High	Mid-High	+2" / -2"
KBS HYBRID 60	A	70g	2.7	0.370	Mid-High	Mid-High	+2" / -2"

MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DIAMANA S LIMITED 60	X	66g	3.3	0.335	Mid	Mid-Low	+3/4" / -2"
DIAMANA S LIMITED 60	S	63g	3.8	0.335	Mid	Mid-Low	+3/4" / -2"
DIAMANA S LIMITED 60	R	60g	4.2	0.335	Mid	Mid-Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DIAMANA FW LIMITED 75	X	75g	3.5	0.335	Mid	Mid-low	+3/4" / -2"
DIAMANA FW LIMITED 75	S	72g	3.6	0.335	Mid	Mid-low	+3/4" / -2"
DIAMANA FW LIMITED 65	R	68g	3.7	0.335	Mid	Mid-low	+3/4" / -2"
DIAMANA FW LIMITED 65	A	65g	3.8	0.335	Mid	Mid-low	+3/4" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TENSEI CK WHITE 60	X	69g	4.4	0.335	Low	Mid / Low	+3/4" / -2"
TENSEI CK WHITE 60	S	67g	4.4	0.335	Low	Mid-Low	+3/4" / -2"
TENSEI CK WHITE 70	X	80g	4.0	0.335	Low	Mid-Low	+3/4" / -2"
TENSEI CK WHITE 70	S	76g	4.1	0.335	Low	Mid / Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TENSEI CK BLUE 60	X	70g	4.4	0.335	Mid	Mid	+3/4" / -2"
TENSEI CK BLUE 60	S	67g	4.5	0.335	Mid	Mid	+3/4" / -2"
TENSEI CK BLUE 60	R	64g	4.6	0.335	Mid	Mid	+3/4" / -2"
TENSEI CK BLUE 70	X	78g	3.9	0.335	Mid	Mid	+3/4" / -2"
TENSEI CK BLUE 70	S	76g	4.0	0.335	Mid	Mid	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
BASSARA E42	R	44g	6.7	0.335	High	Mid-High	+3/4" / -2"
BASSARA E42	A	43g	6.8	0.335	High	High	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
BASSARA E60 HYBRID	R	67g	5.6	0.370	High	Mid-High	+2" / -2"
BASSARA E55 HYBRID	A	63g	6.0	0.370	High	High	+2" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



METALWOOD SHAFTS

PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HZRDUS SMOKE GREEN 60	6.5 (X)	62g	3.3	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE GREEN 60	6.0 (S)	61g	3.3	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE GREEN 70	6.5 (X)	72g	3.2	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE GREEN 70	6 (S)	70g	3.2	0.335	Low	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HZRDUS SMOKE YELLOW 60	6.5 (X)	64g	3.5	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE YELLOW 60	6.0 (S)	64g	3.5	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE YELLOW 70	6.5 (X)	75g	3.3	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE YELLOW 70	6.0 (S)	75g	3.3	0.335	Low	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HZRDUS SMOKE BLACK 60	6.5 (X)	61g	3.5	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE BLACK 60	6.0 (S)	59g	3.5	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE BLACK 70	6.5 (X)	70g	3.5	0.335	Low	Low	+3/4" / -2"
HZRDUS SMOKE BLACK 70	6.0 (S)	68g	3.5	0.335	Low	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HZRDUS SMOKE BLACK HYBRID 90	6.5 (X)	92g	2.3	0.370	Low	Low	+2" / -2"
HZRDUS SMOKE BLACK HYBRID 80	6.0 (S)	81g	2.5	0.370	Low	Low	+2" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
EVENFLOW RIPTIDE 50	5.5 (R)	53g	5.4	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE 60	6.5 (X)	63g	4.4	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE 60	6.0 (S)	62g	4.4	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE 70	6.5 (X)	71g	4.0	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE 70	6.0 (S)	71g	4.2	0.335	Mid	Mid	+3/4" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
EVENFLOW RIPTIDE CB 40	4.0 (L)	45g	5.5	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE CB 40	5.0 (A)	45g	5.0	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE CB 50	5.5 (R)	54g	5.1	0.335	Mid	Mid	+3/4" / -2"
EVENFLOW RIPTIDE CB 60	5.5 (R)	62g	4.0	0.335	Mid	Mid	+3/4" / -2"

UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HELIUM 5	F4 (S)	54g	5.5	0.335	High	Mid-High	+3/4" / -2"
HELIUM 5	F3 (R)	53g	5.5	0.335	High	Mid-High	+3/4" / -2"
HELIUM 4	F2 (A)	49g	6.1	0.335	High	Mid-High	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HELIUM 50	F4 (S)	56g	5.5	0.335	High	Mid-High	+3/4" / -2"
HELIUM 50	F3 (R)	54g	5.6	0.335	High	Mid-High	+3/4" / -2"
HELIUM 50	F2 (A)	52g	5.7	0.335	High	Mid-High	+3/4" / -2"

CUSTOM METALWOOD SHAFT OPTIONS



UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROFORCE V2 HL 5 F4	S	52g	4.2	0.335	High	Mid-High	+3/4" / -2"
PROFORCE V2 HL 5 F3	R	52g	4.2	0.335	High	Mid-High	+3/4" / -2"
PROFORCE V2 HL 5 F2	A	51g	4.5	0.335	High	Mid-High	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROFORCE V2 HL HYBRID F4	S	68g	4.6	0.370	High	Mid-High	+2" / -2"
PROFORCE V2 HL HYBRID F3	R	66g	4.7	0.370	High	Mid-High	+2" / -2"
PROFORCE V2 HL HYBRID F2	A	65g	4.8	0.370	High	Mid-High	+2" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROFORCE V2 6 F4	S	66g	3.0	0.335	Mid	Mid-Low	+3/4" / -2"
PROFORCE V2 6 F3	R	65g	3.0	0.335	Mid	Mid-Low	+3/4" / -2"
PROFORCE V2 7 F5	X	76g	2.2	0.335	Mid	Low	+3/4" / -2"
PROFORCE V2 7 F4	S	76g	2.2	0.335	Mid	Low	+3/4" / -2"



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROFORCE V2 HYBRID F5	X	90g	3.2	0.370	Mid-High	Mid	+1" / -2"
PROFORCE V2 HYBRID F4	S	86g	3.2	0.370	Mid-High	Mid	+1" / -2"
PROFORCE V2 HYBRID F3	R	84g	3.2	0.370	Mid-High	Mid	+1" / -2"

OBAN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
KIYOSHI WHITE 65	X	72g	2.2	0.335	Mid	Low	-2"

ALDILA



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
NV 45	Progressive	L	46g	4.1	0.370	SIM / RESCUE™	High	High	+2" / -2"

CUSTOM IRON SHAFT OPTIONS



		LAUNCH					
		LOW	LOW-MID	MID	MID-HIGH	HIGH	
SPIN	HIGH					ALDILA NV 45 PAR	
						FUJIKURA VENTUS BLUE 5 (A) PAR	
						KBS HI-REV 120 / 115 WEDGE WEDGE	
						KBS MAX (S,R) PAR	
						NS PRO 950 NEO (S,R) TAP	
						UST RECOIL ES 460 (A) 450 (L) PAR	
					KBS TOUR 90 (S,R) BOTH		
		MID-HIGH				FUJIKURA VENTUS BLUE 7 (S) PAR	FUJIKURA VENTUS BLUE 6 (R) PAR
						NS PRO 950 (S,R) PAR	
						UST RECOIL SW 65 WEDGE	
	MID			KBS TOUR (X) TAP (S,R) ALL	UST RECOIL 760 SW (R,A) TAP		
				MCA MMT 75 (S) 65 (R) 55 (A) TAP			
				NS PRO MODUS 105 (S,R) TAP			
				TRUE TEMPER DYNAMIC GOLD 105 VSS (X100,S300,R300) TAP			
	MID-LOW			UST RECOIL 780 SW (S) TAP			
		PROJECT X (6.5,6.0,5.5) ALL	NS PRO MODUS 120 (X,S,R) TAP				
				PROJECT X LZ (6.5,6.0) TAP			
	LOW	KBS C TAPER (X,S) TAP				KEY	
		TRUE TEMPER DYNAMIC GOLD (X100,S300,R300) ALL				COMPATIBILITY	
		TRUE TEMPER DYNAMIC GOLD TOUR ISSUE (X100,S300) TAP				PAR - SIM	
		TRUE TEMPER DYNAMIC GOLD S200 WEDGE				TAP - P SERIES & MG2 / HI TOE	
		TRUE TEMPER DYNAMIC GOLD 120 (X100,S300) TAP				ALL - ANY HEAD	
	PROJECT X HZRDUS SMOKE 100 (X) 90 (S) UDI				WEDGE - MG2 / HI - TOE		

IRON SHAFTS

CUSTOM IRON SHAFT OPTIONS



IRON SHAFTS

FUJIKURA



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
VENTUS BLUE 7	Progressive	S	76g	2.8	0.370	SIM / RESCUE™	Mid-High	Mid-High	+2" / -2"
VENTUS BLUE 6	Progressive	R	66g	3.0	0.370	SIM / RESCUE™	High	Mid-High	+2" / -2"
VENTUS BLUE 5	Progressive	A	56g	3.4	0.370	SIM / RESCUE™	High	High	+2" / -2"

KBS



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TOUR	Traditional	X	130g	1.2	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
TOUR	Traditional	S	120g	1.3	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
TOUR	Traditional	R	110g	1.5	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
TOUR (Parallel)	Progressive	S	130g	1.2	0.370	SIM / RESCUE™	Mid	Mid-High	+2" / -2"
TOUR (Parallel)	Progressive	R	120g	1.3	0.370	SIM / RESCUE™	Mid	Mid-High	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
TOUR 90	Traditional	S	102g	2.1	0.355	High	High	+2" / -2"
	Traditional	R	95g	2.1	0.355	High	High	+2" / -2"
TOUR 90 (Parallel)	Progressive	S	102g	2.1	0.370	High	High	+2" / -2"
	Progressive	R	101g	2.1	0.370	High	High	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
C-TAPER	Traditional	X	130g	1.8	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"
C-TAPER	Traditional	S	120g	1.9	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
HI-REV 2.0 120 WEDGE	Traditional	Wedge S	125g	1.5	0.355	WEDGE	High	High	+2" / -2"
HI-REV 2.0 115 WEDGE	Traditional	Wedge R	115g	1.3	0.355	WEDGE	High	High	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
MAX 85	Progressive	S	93.3g	2.1	0.370	SIM / RESCUE™	High	High	+2" / -2"
MAX 85	Progressive	R	91.8g	2.1	0.370	SIM / RESCUE™	High	High	+2" / -2"

CUSTOM IRON SHAFT OPTIONS



IRON SHAFTS

MCA



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
MMT 75	Traditional	S	74g	3.7	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
MMT 65	Traditional	R	63g	3.5	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
MMT 55	Traditional	A	59g	3.5	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"

NIPPON



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
N.S PRO MODUS 120	Traditional	X	120g	1.6	0.355	P SERIES / WEDGE	Mid-Low	Mid-Low	+2" / -2"
N.S PRO MODUS 120	Traditional	S	114g	1.7	0.355	P SERIES / WEDGE	Mid-Low	Mid-Low	+2" / -2"




MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
N.S PRO MODUS 105	Traditional	S	106.5g	1.7	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
N.S PRO MODUS 105	Traditional	R	103g	1.9	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
N.S PRO 950	Progressive	S	98g	2.0	0.370	SIM / RESCUE™	Mid-High	Mid-High	+1-1/4" / -2"
N.S PRO 950	Progressive	R	94.5g	2.3	0.370	SIM / RESCUE™	Mid-High	Mid-High	+1-1/4" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
N.S PRO 950 GH NEO	Traditional	S	98g	1.7	0.355	P SERIES / WEDGE	High	High	+1" / -2"
N.S PRO 950 GH NEO	Traditional	R	94.5g	1.9	0.355	P SERIES / WEDGE	High	High	+1" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
NS 850 (0.370)	Progressive	S	91g	1.9	0.370	High	High	+2" / -2"
NS 850 (0.370)	Progressive	R	87g	2.1	0.370	High	High	+2" / -2"
NS 850	Traditional	S	91g	1.9	0.355	High	High	+2" / -2"
NS 850	Traditional	R	87g	2.1	0.355	High	High	+2" / -2"

CUSTOM IRON SHAFT OPTIONS



PROJECT X

MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROJECT X LZ	Traditional	X (6.5)	125g	1.3	0.355	P SERIES / WEDGE	Mid	Mid-Low	+2" / -2"
PROJECT X LZ	Traditional	S (6.0)	120g	1.7	0.355	P SERIES / WEDGE	Mid	Mid-Low	+2" / -2"

MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROJECT X	Traditional	X (6.5)	125g	1.2	0.355	P SERIES / WEDGE	Low	Mid-Low	+2" / -2"
PROJECT X	Traditional	S (6.0)	120g	1.4	0.355	P SERIES / WEDGE	Low	Mid-Low	+2" / -2"
PROJECT X	Traditional	R (5.5)	115g	2.0	0.355	P SERIES / WEDGE	Low	Mid-Low	+2" / -2"
PROJECT X	Progressive	X (6.5)	125g	1.2	0.370	SIM / RESCUE™	Low	Mid-Low	+2" / -2"
PROJECT X	Progressive	S (6.0)	120g	1.4	0.370	SIM / RESCUE™	Low	Mid-Low	+2" / -2"
PROJECT X	Progressive	R (5.5)	115g	2.0	0.370	SIM / RESCUE™	Low	Mid-Low	+2" / -2"

MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
PROJECT X HZRDUS SMOKE 100 (UDI ONLY)	Traditional	X	106.5g	2.1	0.355	UDI	Low	Low	+2" / -2"
PROJECT X HZRDUS SMOKE 90 (UDI ONLY)	Traditional	S	91.6g	2.3	0.355	UDI	Low	Low	+2" / -2"

IRON SHAFTS

CUSTOM IRON SHAFT OPTIONS



IRON SHAFTS

TRUE TEMPER



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DYNAMIC GOLD (Parallel)	Progressive	X100	130g	1.5	0.370	SIM / RESCUE™	Low	Low	+1-3/4" / -2"
DYNAMIC GOLD (Parallel)	Progressive	S300	130g	1.8	0.370	SIM / RESCUE™	Low	Low	+1-3/4" / -2"
DYNAMIC GOLD (Parallel)	Progressive	R300	127g	2.0	0.370	SIM / RESCUE™	Low	Low	+1-3/4" / -2"
DYNAMIC GOLD	Traditional	X100	130g	1.5	0.355	P SERIES / WEDGE	Low	Low	+1-3/4" / -2"
DYNAMIC GOLD	Traditional	S300	130g	2.0	0.355	P SERIES / WEDGE	Low	Low	+1-3/4" / -2"
DYNAMIC GOLD	Traditional	R300	127g	1.8	0.355	P SERIES / WEDGE	Low	Low	+1-3/4" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DYNAMIC GOLD TOUR ISSUE	Traditional	X100	130g	1.5	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"
DYNAMIC GOLD TOUR ISSUE	Traditional	S400	132g	1.6	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DYNAMIC GOLD S200	Traditional	WEDGE	129g	1.9	0.355	WEDGE	Low	Low	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DYNAMIC GOLD 120	Traditional	X	120g	1.7	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"
DYNAMIC GOLD 120	Traditional	S	118g	1.7	0.355	P SERIES / WEDGE	Low	Low	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
DYNAMIC GOLD 105 VSS	Traditional	X	106g	1.9	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
DYNAMIC GOLD 105 VSS	Traditional	S	104g	2	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
DYNAMIC GOLD 105 VSS	Traditional	R	102g	2.1	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"

CUSTOM IRON SHAFT OPTIONS



UST



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
RECOIL 780 SW F4	Traditional	S	86g	3.5	0.355	P SERIES / WEDGE	Mid	Mid	+2" / -2"
RECOIL 760 SW F3	Traditional	R	70g	4.1	0.355	P SERIES / WEDGE	Mid-High	Mid	+2" / -2"
RECOIL 760 SW F2	Traditional	A	68g	4.1	0.355	P SERIES / WEDGE	Mid-High	Mid	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
RECOIL SW 65	Traditional	WEDGE	60g	3.4*	0.355	WEDGE	Mid-High	Mid-High	+2" / -2"



MODEL	LENGTH	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH
RECOIL 460 ES F4	Progressive	S	67g	4.6	0.370	High	High	+2" / -2"
RECOIL 460 ES F3	Progressive	R	64g	4.8	0.370	High	High	+2" / -2"
RECOIL 460 ES F2	Progressive	A	63g	4.8	0.370	High	High	+2" / -2"
RECOIL 450 ES F1	Progressive	L	51g	4.0	0.370	High	High	+2" / -2"

CLUB GRIPS



GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
TOUR VELVET	BLACK	STANDARD	51.5g	ROUND	0.580	TEXTURED	TAYLORMADE
	BLACK	STANDARD	51.5g	REMINDER	0.580	TEXTURED	GOLF PRIDE
	BLACK	UNDERSIZE	45g	ROUND	0.620	TEXTURED	GOLF PRIDE
	BLACK	MID-SIZE	53.5g	ROUND	0.600	TEXTURED	GOLF PRIDE
	BLACK	JUMBO	61g	ROUND	0.600	TEXTURED	GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
TOUR VELVET 360	GREY / BLACK (P SERIES)	STANDARD	50g	ROUND	0.580	TEXTURED	GOLF PRIDE
	BURGUNDY (HI TOE)	STANDARD	50g	ROUND	0.580	TEXTURED	GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
TOUR VELVET CORD	BLACK	STANDARD	52.5g	ROUND	0.580	CORD	GOLF PRIDE
	BLACK	STANDARD	52.5g	REMINDER	0.580	CORD	GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
MCC	RED / BLACK	STANDARD	46.5g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE
	RED / BLACK	MID-SIZE	59g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE
	WHITE / BLACK	STANDARD	46.5g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
MCC PLUS4	GREY / BLUE	STANDARD	52g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE
	GREY / BLACK	STANDARD	52g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE
	GREY / BLACK	MID-SIZE	66g	ROUND	0.600	CORD / TEXTURED	GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
Z-GRIP	WHITE / BLACK	STANDARD	50.5g	ROUND	0.600	CORD	GOLF PRIDE

SWING GRIPS

CLUB GRIPS



GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
MCC ALIGN	BLACK / WHITE	STANDARD	51g	REMINDER	0.600	CORD / TEXTURED	GOLF PRIDE

LAMKIN



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
CROSSLINE	BLACK / WHITE	STANDARD	50g	ROUND	0.580	TEXTURED	TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
CROSSLINE SOFT CORD	BLACK / BURGUNDY	STANDARD	52g	ROUND	0.58	SOFT / CORD	TAYLORMADE

TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
Z GRIP	BLACK / GRAY	STANDARD	47g	ROUND	0.600 / 0.620	TEXTURED	TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
CROSSLINE 360	BLACK / GRAY	STANDARD	47g	REMINDER	0.600	TEXTURED	TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
TM DUAL FEEL WOMENS	GREY / WHITE	LADIES	43g	ROUND	0.580	SOFT	TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	TYPE	BUTT SIZE	FEEL	LOGO
SONAR WOMENS	GRAY / WHITE	STANDARD	38g	ROUND	0.580	TEXTURED / SOFT	TAYLORMADE

SWING GRIPS

