



 **TaylorMade®**

CUSTOM COMPONENT OPTIONS

taylormadegolf.com

FEATURED CUSTOM SHAFT OPTIONS



TaylorMade's industry-leading custom component program allows golfers to select from a plethora of both shaft and grip combinations from many of the industry's leaders in innovation and technology for a fully personalized experience. The featured components below are rising in popularity both on professional tours around the world as well as with consumers. We highly recommend you start your path to complete customization by referring to the Custom Shaft and Grip Options booklet for an in-depth look at all of our customization options.

METALWOOD SHAFTS

PROJECT X HZRDUS YELLOW



The new HZRDUS Yellow is a backweighted low spinning shaft featuring a straight tapered midsection. This profile is perfect for players with a smooth tempo who want to reduce launch and spin rates. The backweighting allows for additional mass to be added to the head for increased ballspeed.


IRON / WEDGES SHAFTS

KBS TOUR FLT



KBS is proud to introduce the newest member of the KBS Golf Shaft Family; the KBS TOUR FLT. The KBS TOUR FLT is a Tour influenced shaft to fit the broadest range of players, from the Amateur Golfer, to a Tour Professional.

Offering a lower ball flight for the 8 Iron and down clubs, and a higher ball flight for the 6 Iron and up, it accomplishes this while being longer and providing more spin, with the consistency and efficiency of more control.



ULTRA-LIGHT WEIGHT

- | | | |
|------------------------------|---------------------------|----------------------------|
| 1 Kuro Kage Black TiNi 50 | 4 Mitsubishi Bassara E 42 | 7 Matrix MFS5 White Tie 45 |
| 2 Matrix Ozik White Tie 50X4 | 5 Fujikura PRO XLR8 56 | 8 Matrix MFS5 White Tie 55 |
| 3 Fujikura Pro 53 | 6 Mitsubishi Tensei CK 50 | |

LIGHT WEIGHT

- | | | |
|---------------------------------------|---|-------------------------------|
| 1 Mitsubishi Diamana D+ 60 | 11 Fujikura Speeder 661 Evolution Tour Spec | 21 Project X HZRDUS Red 65 |
| 2 Mitsubishi Diamana S+ 60 | 12 Graphite Design Tour AD Di6 | 22 Project X HZRDUS Yellow 65 |
| 3 UST Elements CHROME 65 | 13 Aldila NV 2KXV 65 Green | |
| 4 Mitsubishi Fubuki J 60 | 14 Aldila NV 2KXV 65 Orange | |
| 5 Mitsubishi Kuro Kage Silver TiNi 60 | 15 Aldila Rogue Silver I/O 60 | |
| 6 Matrix Ozik Black Tie 60M4 | 16 Graphite Design Tour AD GP 6 Black Edition | |
| 7 Matrix Ozik Red Tie 60Q4 | 17 Mitsubishi Kuro Kage Black TiNi 60 | |
| 8 Matrix Ozik White Tie 60X4 | 18 Mitsubishi Tensei CK 60 | |
| 9 Aldila Rogue Black 60 | 19 Project X HZRDUS Black 65 | |
| 10 Aldila Rogue Silver 60 | 20 Mitsubishi Kuro Kage DC TiNi 60 | |

MID WEIGHT

- | | | |
|---------------------------------------|--------------------------------|---|
| 1 Mitsubishi Diamana D+ 70 | 8 Mitsubishi Kuro Kage 70 Fw | 15 Graphite Design Tour AD GP 7 Black Edition |
| 2 Matrix MFS5 Black Tie 70 | 9 Fujikura Pro 73 | |
| 3 Oban Kiyoshi White 65 | 10 Aldila Rogue Black 70 | |
| 4 Mitsubishi Kuro Kage Silver TiNi 70 | 11 Aldila Rogue Silver 70 | |
| 5 Matrix Ozik Black Tie 70M4 | 12 Graphite Design Tour AD Di7 | |
| 6 Matrix Ozik Red Tie 70Q4 | 13 Project X HZRDUS Red 75 | |
| 7 Matrix Ozik White Tie 70X4 | 14 Project X HZRDUS Black 75 | |

TOUR WEIGHT

- | | |
|--|---------------------------|
| 1 UST Elements CHROME 75 | 4 Mitsubishi Tensei CK 70 |
| 2 Matrix Ozik White Tie HX4 | |
| 3 Fujikura Speeder 757 Evolution Tour Spec | |

*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.

CUSTOM METALWOOD SHAFT OPTIONS



ALDILA METALWOOD CUSTOM SHAFTS OPTIONS					aldila.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
NV 2KXV 65 Green	X	66g	3.9	0.335	0.645	Mid-Low	Low	Firm
	S	65g	4.5	0.335	0.645	Mid-Low	Low	Firm
NV 2KXV 65 Orange	X	68g	4.5	0.335	0.645	Mid	Mid	Soft
	S	65g	5.2	0.335	0.645	Mid	Mid	Soft
Rogue Silver 60	X	72g	3.1	0.335	0.600	Mid-Low	Mid-Low	Firm
	S	69g	3.4	0.335	0.600	Mid-Low	Mid-Low	Mid
	R	67g	3.8	0.335	0.600	Mid-Low	Mid-Low	Mid
Rogue Silver 70	X	78g	2.8	0.335	0.600	Mid-Low	Low	Firm
	S	77g	3.1	0.335	0.600	Mid-Low	Low	Firm
Rogue Black 60	X	70g	3.3	0.335	0.600	Mid-High	Mid	Mid
	S	68g	3.6	0.335	0.600	Mid-High	Mid	Mid
	R	66g	4.0	0.335	0.600	Mid-High	Mid	Soft
Rogue Black 70	X	75g	3.0	0.335	0.600	Mid	Mid	Firm
	S	74g	3.3	0.335	0.600	Mid	Mid	Mid

FUJIKURA METALWOOD CUSTOM SHAFTS OPTIONS					fujikuragolf.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Speeder 661 Evolution Tour Spec	X	67g	3.5	0.335	0.600	Mid-low	Mid	Mid
	S	66g	3.5	0.335	0.600	Mid-low	Mid	Mid
	R	65g	3.5	0.335	0.600	Mid-low	Mid	Mid
Speeder 757 Evolution Tour Spec	X	79g	2.6	0.335	0.600	Mid-Low	Low	Firm
	S	78g	2.6	0.335	0.600	Mid-Low	Low	Firm
	R	77g	2.6	0.335	0.600	Mid-Low	Low	Firm
Pro 53	S	57g	4.1	0.335	0.600	Mid	Mid	Soft
	R	56g	4.1	0.335	0.600	Mid	Mid	Soft
Pro 73	X	75g	3.4	0.335	0.600	Mid	Mid-Low	Mid
	S	74g	3.4	0.335	0.600	Mid	Mid-Low	Mid

GRAPHITE DESIGN METALWOOD CUSTOM SHAFTS OPTIONS					proschoicegolfshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Tour AD GP 6 Black Edition	X	67.5g	3.1	0.335	0.600	Mid	Low	Firm
	S	66g	3.1	0.335	0.600	Mid	Low	Firm
Tour AD GP 7 Black Edition	X	76.5g	2.9	0.335	0.600	Mid	Low	Firm
	S	75g	2.9	0.335	0.600	Mid	Low	Firm
Tour AD Di6	X	66.5g	3.3	0.335	0.600	High	Low	Mid
	S	65g	3.3	0.335	0.600	High	Low	Mid
Tour AD Di7	X	75g	3.2	0.335	0.600	Mid-High	Low	Mid
	S	74g	3.2	0.335	0.600	Mid-High	Low	Mid

UST METALWOOD CUSTOM SHAFTS OPTIONS					ustmamiya.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Elements CHROME 65	X	68g	3.0	0.335	0.600	Mid	Low	Firm
	S	66g	4.8	0.335	0.600	Mid-high	Mid-Low	Soft
	R	66g	4.8	0.335	0.600	Mid-high	Mid	Soft
Elements CHROME 75	X	77g	2.9	0.335	0.600	Mid-Low	Low	Firm
	S	75g	3.5	0.335	0.600	Mid-Low	Low	Mid

CUSTOM METALWOOD SHAFT OPTIONS



MATRIX METALWOOD CUSTOM SHAFTS OPTIONS						matrixshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	
Ozik White Tie 50X4	X	59g	3.9	0.335	0.600	High	Mid	Mid	
	S	57g	4.1	0.335	0.600	High	Mid	Mid	
	R	55g	4.2	0.335	0.600	High	Mid	Mid	
	A	53g	4.2	0.335	0.600	High	Mid	Mid	
Ozik White Tie 60X4	X	67g	4.1	0.335	0.600	High	Mid	Mid	
	S	65g	4.1	0.335	0.600	High	Mid	Mid	
	R	63g	4.2	0.335	0.600	High	Mid	Mid	
Ozik White Tie 70X4	X	78g	4.2	0.335	0.600	High	Mid-Low	Mid	
	S	75g	4.3	0.335	0.600	High	Mid-Low	Mid	
	R	73g	4.3	0.335	0.600	High	Mid-Low	Mid	
Ozik Red Tie 60Q4	X	69g	3.2	0.335	0.600	Mid	Mid	Mid	
	S	67g	3.3	0.335	0.600	Mid	Mid	Mid	
	R	65g	3.4	0.335	0.600	Mid	Mid	Mid	
Ozik Red Tie 70Q4	X	79g	2.7	0.335	0.600	Mid	Mid	Mid	
	S	77g	2.7	0.335	0.600	Mid	Mid	Mid	
Ozik Black Tie 60M4	X	67.5g	3.3	0.335	0.600	Low	Low	Firm	
	S	65.5g	3.4	0.335	0.600	Low	Low	Firm	
Ozik Black Tie 70M4	X	77g	2.7	0.335	0.600	Low	Low	Firm	
	S	75g	2.8	0.335	0.600	Low	Low	Firm	
	R	73g	2.9	0.335	0.600	Low	Low	Firm	
HYB Ozik White Tie HX4	X	84g	2.7	0.370	0.600	High	Mid	Mid	
	S	82g	2.7	0.370	0.600	High	Mid	Mid	
	R	80g	2.7	0.370	0.600	High	Mid	Mid	
NEW MFS5 White Tie 45	A	49g	5.1	0.335	0.600	High	High	Soft	
	L	48g	5.2	0.335	0.600	High	High	Soft	
NEW MFS5 White Tie 50	S	57g	4.1	0.335	0.600	High	High	Soft	
	R	55g	3.5	0.335	0.600	High	High	Soft	
NEW MFS5 Black Tie 70	X	76g	2.9	0.335	0.600	Low	Low	Stiff	
	S	75g	3.1	0.335	0.600	Low	Low	Stiff	


PROJECT X METALWOOD CUSTOM SHAFTS OPTIONS						pxshaft.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	
NEW HZRDUS Black 65	X	62g	3.2	0.335	0.600	Low	Low	Firm	
	S	62g	3.2	0.335	0.600	Low	Low	Firm	
	R	62g	3.2	0.335	0.600	Low	Low	Firm	
NEW HZRDUS Black 75	X	75g	2.9	0.335	0.600	Low	Low	Firm	
	S	75g	2.9	0.335	0.600	Low	Low	Firm	
NEW HZRDUS RED 65	6.5	62g	3.2	0.335	0.600	Mid	Mid	Mid	
	6.0	75g	2.9	0.335	0.600	Mid	Mid	Mid	
	5.5	75g	2.9	0.335	0.600	Mid	Mid	Mid	
NEW HZRDUS RED 75	6.5	75g	2.9	0.335	0.600	Mid	Mid	Mid	
	6.0	75g	2.9	0.335	0.600	Mid	Mid	Mid	
NEW HZRDUS Yellow 65	6.0	63g	3.3	0.335	0.600	Mid	Mid	Stiff	
	6.0	63g	3.3	0.335	0.600	Mid	Mid	Stiff	

OBAN METALWOOD CUSTOM SHAFTS OPTIONS						obanshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	
Kiyoshi White 65	X	72g	2.2	0.335	0.600	Mid	Low	Mid-firm	
	S	69g	2.2	0.335	0.600	Mid	Low	Mid-firm	

CUSTOM METALWOOD SHAFT OPTIONS



MITSUBISHI METALWOOD CUSTOM SHAFTS OPTIONS					mitsubishirayongolf.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	
Diamana S+ 60	X	67g	3.7	0.335	0.600	Mid	Mid	Mid	
	S	64g	4.5	0.335	0.600	Mid	Mid	Soft	
Diamana D+ 60	X	67g	3.5	0.335	0.600	Low	Low	Firm	
	S	65g	3.6	0.335	0.600	Low	Low	Firm	
Diamana D+ 70	X	75g	3.5	0.335	0.600	Low	Low	Firm	
	S	74g	3.6	0.335	0.600	Low	Low	Firm	
Kuro Kage Black TiNi 50	S	56g	4.8	0.335	0.600	High	Mid-High	Soft	
	R	55g	5.7	0.335	0.600	High	Mid-High	Soft	
	A	52g	5.9	0.335	0.600	High	Mid-High	Soft	
Kuro Kage Black TiNi 60	S	66g	4.3	0.335	0.600	High	Mid	Mid	
	R	64g	4.6	0.335	0.600	High	Mid	Mid	
Tensei CK 50	S	57g	5.4	0.335	0.600	High	Mid	Soft	
	R	54g	5.6	0.335	0.600	High	Mid	Soft	
Tensei CK 60	S	67g	4.5	0.335	0.600	Mid-High	Mid	Mid	
	R	64g	4.6	0.335	0.600	Mid-High	Mid	Mid	
Tensei CK 70	X	78g	3.9	0.335	0.600	Mid	Mid	Firm	
Kuro Kage Silver TiNi 60	X	69g	3.3	0.335	0.600	Mid-High	Mid-Low	Firm	
	S	67g	4.4	0.335	0.600	Mid-High	Mid-Low	Firm	
	R	65g	4.6	0.335	0.600	Mid-High	Mid-Low	Firm	
Kuro Kage Silver TiNi 70	S	76g	4.1	0.335	0.600	Mid	Mid-Low	Firm	
	X	77g	2.8	0.335	0.600	Mid	Mid-Low	Firm	
NEW Bassara E 42	R	44.g	6.7	0.335	0.600	High	Mid-High	Soft	
	Lite	43g	6.8	0.335	0.600	High	High	Soft	
NEW Kuro Kage DC TiNi 60	X	67.5g	3.4	0.335	0.600	Mid	Mid	Mid	
	S	65.5g	4.5	0.335	0.600	Mid	Mid	Mid	
	R	62.5g	4.0	0.335	0.600	Mid	Mid	Mid	
NEW Kuro Kage 70 FW	X	76gg	3.8	0.335	0.600	Mid	Mid	Firm	
	S	75g	4.0	0.335	0.600	Mid	Mid	Firm	
	R	73g	4.0	0.335	0.600	Mid	Mid	Mid	
NEW MRC Kuro Kage 60 FW	A	65g	4.5	0.335	0.600	Mid	Mid-High	Mid	
HYB MRC Kuro Kage 80 HY	X	86g	3.1	0.370	0.600	Mid-High	Low	Firm	
	S	85g	3.6	0.370	0.600	Mid	Mid	Firm	
	R	83g	3.7	0.370	0.600	Mid-High	Mid	Firm	
HYB MRC Kuro Kage 70 HY	A	73g	4.2	0.370	0.600	Mid-High	Mid	Mid	



LIGHT WEIGHT

- 1 KBS Tour 90
- 2 True Temper XP 95
- 3 Reax 88 High Launch
- 4 UST Recoil 95
- 5 850 Nippon NS

MID WEIGHT

- 1 Mitsubishi Kuro Kage Silver Series
- 2 Nippon NS Pro 950GH
- 3 True Temper Dynamic Gold Super Light
- 4 KBS C-Taper 105
- 5 Project X LZ

TOUR WEIGHT

- 1 KBS C-Taper
- 2 KBS Tour
- 3 Nippon NS Pro Modus 3 120
- 4 Nippon NS Pro Modus 3 130
- 5 Rifle Project X
- 6 True Temper Dynamic Gold

*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.



KBS IRON/WEDGE CUSTOM SHAFT OPTIONS					aerotechgolfshafts.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
C-Taper	X	130g	1.8	0.355	0.600	Low	Low	Firm
	S	120g	1.9	0.355	0.600	Low	Low	Firm
Tour 90	S	102g	1.5	0.355	0.600	Mid-High	Mid	Mid
	R	95g	1.5	0.355	0.600	Mid-High	Mid	Mid
Tour 105	S	105g	2.5	0.370	0.600	Mid-High	Mid	Mid
	R	105g	2.5	0.370	0.600	Mid-High	Mid	Mid
KBS Tour (.370)	S	130g	1.2	0.370	0.600	Mid	Mid-High	Soft
	R	120g	1.3	0.370	0.600	Mid	Mid-High	Soft
KBS Tour	X	130g	1.2	0.355	0.600	Mid	Mid	Mid
	S	120g	1.3	0.355	0.600	Mid	Mid	Mid
	R	110g	1.5	0.355	0.600	Mid	Mid	Mid
KBS 90	S	102g	1.5	0.370	0.600	Mid-High	High	Soft
	R	101g	1.5	0.370	0.600	Mid-High	High	Soft
NEW KBS FLT	X	130g	1.2	0.335	0.600	Mid	Mid	Mid
	S	120g	1.3	0.335	0.600	Mid	Mid	Mid
	R	110g	1.5	0.335	0.600	Mid	Mid	Mid

MITSUBISHI IRON/WEDGE CUSTOM SHAFTS OPTIONS					mitsubishirayongolf.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
NEW KURO KAGE SILVER SERIES	S	83g	3.5	0.370	0.600	Mid	Mid	Mid
	R	71g	4.2	0.370	0.600	Mid	Mid	Mid
	A	60g	5.0	0.370	0.600	Mid	Mid	Mid

NIPPON IRON/WEDGE CUSTOM SHAFTS OPTIONS					nipponshaft.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
NS Pro 950GH (0.370)	S	98g	1.9	0.370	0.610	High	High	Soft
	R	95g	2.0	0.370	0.610	High	High	Soft
NS Pro 950GH	S	98g	1.9	0.355	0.610	High	High	Soft
	R	95g	2.0	0.355	0.610	High	High	Soft
NS Pro Modus 3 120	X	120g	1.4	0.355	0.600	Mid-Low	Mid-Low	Firm
	S	120g	1.5	0.355	0.600	Mid-Low	Mid-Low	Firm
	R	120g	1.6	0.355	0.600	Mid-Low	Mid-Low	Firm
NS Pro Modus 3 130 (0.370)	S	130g	1.5	0.370	0.600	Mid	Mid-Low	Firm
	R	130g	1.5	0.370	0.600	Mid	Mid-Low	Firm
NS Pro Modus 3 130	X	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm
	S	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm
	R	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm
850 Nippon NS (0.370)	R	87g	2.1	0.370	0.600	High	High	Soft
	S	91g	1.9	0.370	0.600	High	High	Soft
850 Nippon NS	R	87g	2.1	0.355	0.600	High	High	Soft
	S	91g	1.9	0.355	0.600	High	High	Soft

PROJECT X IRON/WEDGE CUSTOM SHAFTS OPTIONS					pxshaft.com			
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness
Rifle Project X (.370)	6.5	130g	1.2	0.370	0.600	Low	Mid-Low	Low
	6.0	95g	2.0	0.370	0.600	Low	Mid-Low	Mid
	5.5	115g	1.4	0.370	0.600	Low	Mid-Low	Mid
Rifle Project X	6.5	130g	1.2	0.355	0.600	Low	Mid-Low	Low
	6.0	125g	2.0	0.355	0.600	Low	Mid-Low	Mid
	5.5	115g	1.4	0.355	0.600	Low	Mid-Low	Mid
NEW Rifle Project X LZ	6.5	125g	1.3	0.355	0.600	Mid	Mid-Low	Mid
	6.0	120g	1.7	0.355	0.600	Mid	Mid-Low	Mid
	5.5	115g	2.1	0.355	0.600	Mid	Mid-Low	Mid

TRUE TEMPER IRON/WEDGE CUSTOM SHAFTS OPTIONS					truetemper.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	
Dynamic Gold (.370)	X100	130g	1.5	0.370	0.600	Low	Low	Firm	
	S300	130g	1.6	0.370	0.600	Low	Low	Firm	
	R300	127g	1.7	0.370	0.600	Low	Low	Firm	
Dynamic Gold	X100	130g	1.5	0.355	0.600	Low	Low	Firm	
	S300	130g	1.8	0.355	0.600	Low	Low	Firm	
	R300	127g	1.8	0.355	0.600	Low	Low	Firm	
NEW XP 95	S300	95g	2.1	0.370	0.600	Mid-High	Mid	Firm	
	R300	93g	2.2	0.370	0.600	Mid-High	Mid	Firm	