




TaylorMade®

CUSTOM COMPONENT OPTIONS



ULTRA-LIGHT WEIGHT

- | | |
|---------------------------------------|--------------------------------------|
| 1 Fujikura Pro 53 | 4 Mitsubishi Tensei CK Series Red 50 |
| 2 Mitsubishi Bassara E 42 | 5 Project X EvenFlow Blue 55 |
| 3 Matrix MFS5 White Tie 55 (Platinum) | 6 Kuro Kage Black TiNi 50 |

LIGHT WEIGHT

- | | |
|---------------------------------------|--|
| 1 Fujikura Speeder Evolution III 661 | 9 OBAN Kiyoshi White 65 |
| 2 Aldila Rogue Silver 60 | 10 Project X HZRDUS Red 65 |
| 3 Aldila 2KXV Green 65 | 11 Project X HZRDUS Yellow 65 |
| 4 Aldila 2KXV Orange 65 | 12 Project X EvenFlow Blue 65 |
| 5 Graphite Design Tour AD GP 6 | 13 Project X HZRDUS Black 65 |
| 6 Graphite Design Tour AD DI 6 | 14 Mitsubishi Tensei CK Series Blue 65 Fwy |
| 7 Mitsubishi Tensei CK Series Blue 60 | 15 Mitsubishi Kuro Kage 60 Fwy |
| 8 Mitsubishi Kuro Kage DC TiNi 60 | 16 Aldila Rogue Black 60 |

MID WEIGHT

- | | |
|--|--|
| 1 Aldila Rogue Silver 70 | 6 Mitsubishi Tensei CK Series Blue 70 Hybrid |
| 2 Graphite Design Tour AD DI 7 | 7 Mitsubishi Kuro Kage 70 Fwy |
| 3 Mitsubishi Tensei CK Series White 70 | 8 Mitsubishi Kuro Kage 70 Hybrid |
| 4 Project X HZRDUS Black 75 | 9 Aldila Rogue Black 70 |
| 5 Project X HZRDUS Red 75 | |

TOUR WEIGHT

- | | | |
|---------------------------------|--|--|
| 1 Fujikura Pro 73 | 5 Mitsubishi Tensei CK Series Blue 80 Hybrid | 9 Fujikura Speeder 757 Evolution Tour Spec |
| 2 Graphite Design Tour AD GP 7 | 6 Mitsubishi Kuro Kage 80 Hybrid | |
| 3 Matrix MF55 Black Tie 70 | 7 Project X HZRDUS Black 85 Hybrid | |
| 4 Mitsubishi Tensei Blue 75 Fwy | 8 Fujikura 869 Evolution TS Hybrid | |

*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.

CUSTOM METALWOOD SHAFT OPTIONS



ALDILA

aldila.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Rogue Silver 70	X	78g	2.8	0.335	Low	Low	Firm
	S	77g	3.1	0.335	Low	Low	Firm
Rogue Silver 60	X	72g	3.1	0.335	Low	Low	Firm
	S	69g	3.4	0.335	Low	Low	Firm
	R	67g	3.8	0.335	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
2KXV Green 65	X	66g	3.9	0.335	Low	Low	Firm
	S	65g	4.5	0.335	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
2KXV Orange 65	X	68g	4.5	0.335	High	High	Mid
	S	65g	5.2	0.335	High	High	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Rogue Black 60	X	70g	3.3	0.335	Mid-High	Mid	Mid
	S	68g	3.6	0.335	Mid-High	Mid	Mid
	R	66g	4.0	0.335	Mid-High	Mid	Soft
Rogue Black 70	X	75g	3.0	0.335	Mid	Mid	Firm
	S	74g	3.3	0.335	Mid	Mid	Mid

GRAPHITE DESIGN

proschoicegolfs shafts.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tour AD DI 7	X	75g	3.2	0.335	Mid-High	Low	Mid
	S	74g	3.2	0.335	Mid-High	Low	Mid
Tour AD DI 6	X	66.5g	3.3	0.335	High	Low	Mid
	S	65g	3.3	0.335	High	Low	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tour AD GP 7	X	76.5g	2.9	0.335	Mid	Low	Mid
	S	75g	2.9	0.335	Mid	Low	Mid
Tour AD GP 6	X	67.5g	3.1	0.335	Mid	Mid	Mid
	S	66g	3.1	0.335	Mid	Mid	Mid

CUSTOM METALWOOD SHAFT OPTIONS



FUJIKURA

fujikuragolf.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Atmos RED 6	X	56g	4.4	0.335	Mid	Mid	Mid
Atmos RED 5	S	55g	4.4	0.335	Mid	Mid	Mid
	R	54g	4.5	0.335	Mid-High	Mid-High	Mid
	A	53g	4.5	0.335	Mid-High	Mid-High	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Pro 73	X	78g	3.4	0.335	Mid-Low	Mid	Mid
	S	77g	3.4	0.335	Mid-Low	Mid	Mid
Pro 53	S	60g	4.1	0.335	Mid	Mid	Mid
	R	60g	4.1	0.335	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Atmos RED Fwy 6	X	67g	4.4	0.335	Mid	Mid	Mid
	S	65g	4.4	0.335	Mid	Mid	Mid
Atmos RED Fwy 5	R	55g	4.4	0.335	Mid-High	Mid-High	Mid
	A	54g	4.4	0.335	Mid-High	Mid-High	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Speeder Evolution III 661	X	68g	3.2	0.335	Mid	Mid	Mid
	S	66.5g	3.2	0.335	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Speeder 757 Evolution Tour Spec	X	79g	2.6	0.335	Mid-low	Low	Firm
	S	78g	2.6	0.335	Mid-low	Low	Firm
	R	77g	2.6	0.335	Mid-low	Low	Firm




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Speeder 869 Evolution TS Hybrid	X	95g	2.6	0.370	Mid	Low	Firm
	S	93g	2.6	0.370	Mid	Low	Firm


CUSTOM METALWOOD SHAFT OPTIONS



MATRIX matrixshafts.com




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
MFS5 Black Tie 70	X	79g	2.6	0.335	Low	Low	Firm
	S	78g	3.1	0.335	Low	Low	Firm




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
MFS5 White Tie 55 (Platinum)	S	57g	4.1	0.335	High	High	Soft
	R	55g	3.5	0.335	High	High	Soft
MFS5 White Tie 45 (Platinum)	A	49g	5.1	0.335	High	High	Soft
	L	48g	5.2	0.335	High	High	Soft


MITSUBISHI CHEMICAL mca-golf.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tensei CK Series WHITE 70	X	79g	4.0	0.335	Low	Low	Firm
Tensei CK Series WHITE 60	S	67g	4.5	0.335	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tensei CK Series BLUE 60	X	70g	4.4	0.335	Mid	Mid-Low	Mid
	S	67g	4.5	0.335	Mid	Mid-Low	Mid
	R	64g	4.5	0.335	Mid	Mid	Mid
Tensei CK Series BLUE 75 Fwy	X	72g	4.5	0.335	Mid	Mid-Low	Mid
Tensei CK Series BLUE 65 Fwy	S	68g	4.8	0.335	Mid	Mid-Low	Mid
	R	66g	4.8	0.335	Mid	Mid	Mid
	A	63g	5.0	0.335	Mid	Mid	Mid
Tensei CK Series BLUE 80 Hybrid	X	82g	3.3	0.370	Mid	Mid-Low	Mid
	S	79g	3.3	0.370	Mid	Mid-Low	Mid
Tensei CK Series BLUE 70 Hybrid	R	75g	3.5	0.370	Mid	Mid	Mid
	A	70g	3.9	0.370	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tensei CK Series RED 50	S	59.5g	5.9	0.335	Mid-High	Mid	Soft
	R	57g	6.0	0.335	Mid-High	Mid	Soft
	A	54g	6.0	0.335	Mid-High	Mid	Soft

CUSTOM METALWOOD SHAFT OPTIONS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Bassara E 42	R	44g	6.7	0.335	High	Mid-High	Soft
	A	43g	6.8	0.335	High	High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Kuro Kage Black TiNi 50	S	56g	4.8	0.335	High	Mid-High	Soft
	R	55g	5.7	0.335	High	Mid-High	Soft
	A	52g	5.9	0.335	High	Mid-High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Kuro Kage DC TiNi 60	X	67.5g	3.4	0.335	Mid	Mid	Mid
	S	65.5g	4.5	0.335	Mid	Mid	Mid
	R	62.5g	4.0	0.335	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Kuro Kage 70 Fwy	X	76g	3.8	0.335	Mid	Mid	Firm
	S	75g	4.0	0.335	Mid	Mid	Firm
	R	73g	4.0	0.335	Mid	Mid	Mid
Kuro Kage 60 Fwy	A	65g	4.5	0.335	Mid	Mid-High	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Kuro Kage 80 Hybrid	X	86g	3.1	0.370	Mid-High	Low	Firm
	S	85g	3.6	0.370	Mid	Mid	Firm
	R	83g	3.7	0.370	Mid-High	Mid	Firm
Kuro Kage 70 Hybrid	A	73g	4.2	0.370	Mid-High	Mid	Mid

OBAN obanshafts.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Kiyoshi White 65	X	72g	2.2	0.335	Mid	Low	Mid-Firm
	S	69g	2.2	0.335	Mid	Low	Mid-Firm

CUSTOM METALWOOD SHAFT OPTIONS



PROJECT X

pxshaft.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Evenflow Blue 65 6.0	S	67g	3.7	0.335	Mid	Mid	Mid
Evenflow Blue 65 5.5	R	65g	4.6	0.335	Mid	Mid	Mid
Evenflow Blue 55 6.0	S	59.5g	5.4	0.335	Mid	Mid	Mid
Evenflow Blue 55 5.5	R	58g	5.4	0.335	Mid	Mid	Mid
Evenflow Blue 55 5.0	A	55g	5.6	0.335	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
HZRDUS Black 75 6.5	X	75g	2.9	0.335	Low	Low	Firm
HZRDUS Black 75 6.0	S	75g	2.9	0.335	Low	Low	Firm
HZRDUS Black 65 6.5	X	62g	3.2	0.335	Low	Low	Firm
HZRDUS Black 65 6.0	S	62g	3.2	0.335	Low	Low	Firm
HZRDUS Black 65 5.5	R	62g	3.2	0.335	Low	Low	Firm
HZRDUS Black 85 Hybrid	X	85g	2.9	0.37	Low	Low	Firm
	S	85g	2.9	0.37	Low	Low	Firm
	R	85g	2.9	0.37	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
HZRDUS Yellow 65 6.5	X	63g	3.3	0.335	Mid-Low	Mid-Low	Firm
HZRDUS Yellow 65 6.0	S	63g	3.3	0.335	Mid-Low	Mid-Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
HZRDUS Red 75 6.5	X	75g	2.9	0.335	Mid	Mid	Mid
HZRDUS Red 75 6.0	S	75g	2.9	0.335	Mid	Mid	Mid
HZRDUS Red 75 5.5	R	75g	2.9	0.335	Mid	Mid	Mid
HZRDUS Red 65 6.5	X	62g	3.2	0.335	Mid	Mid	Mid
HZRDUS Red 65 6.0	S	62g	3.2	0.335	Mid	Mid	Mid
HZRDUS Red 65 5.5	R	62g	3.2	0.335	Mid	Mid	Mid

CUSTOM METALWOOD SHAFT OPTIONS



UST


ustmamiya.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
PROFORCE V2 50 HL	S	52g	4.2	0.335	High	Mid-High	Mid-Soft
PROFORCE V2 50 HL	R	52g	4.2	0.335	High	Mid-High	Mid-Soft
PROFORCE V2 50 HL	A	51g	4.5	0.335	High	Mid-High	Mid-Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
PROFORCE V2 70	X	76g	2.2	0.335	Mid	Low	Firm
PROFORCE V2 70	S	76g	2.2	0.335	Mid	Low	Firm



LIGHT WEIGHT

- 1 KBS 90
- 2 KBS MAX 85
- 3 Mitsubishi Kuro Kage
- 4 Nippon NS Pro 840
- 5 Nippon NS Pro 950GH
- 6 UST Recoil 680
- 7 UST Recoil 460 ES
- 8 UST Recoil 780 w/SMACWRAP
- 9 Fujikura Atmos 5
- 10 TM Tuned IR 45-L
- 11 850 Nippon NS

MID WEIGHT

- 1 KBS C-Taper 105
- 2 Nippon NS Pro Modus 105
- 3 True Temper Dynamic Gold 105
- 4 True Temper Dynamic Gold XP 100
- 5 Mitsubishi Tensei Blue
- 6 Fujikura Atmos Red 6/7

TOUR WEIGHT

- 1 KBS C-Taper
- 2 KBS Tour
- 3 KBS Tour FLT
- 4 KBS Hi-Rev 2.0
- 5 Nippon NS Pro Modus 3 120
- 6 Nippon NS Pro Modus 3 130
- 7 Project X Chrome
- 8 Project X LZ
- 9 True Temper Dynamic Gold

*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.

CUSTOM IRON SHAFT OPTIONS



KBS

kbsgolfshafts.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tour FLT	X	130g	1.2	0.355	Mid	Mid	Mid
	S	120g	1.3	0.355	Mid	Mid	Mid
	R	115g	1.4	0.355	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tour	X	130g	1.2	0.355	Mid	Mid	Mid
	S	120g	1.3	0.355	Mid	Mid	Mid
	R	110g	1.5	0.355	Mid	Mid	Mid
Tour (Parallel)	S	130g	1.2	0.370	Mid	Mid-High	Soft
	R	120g	1.3	0.370	Mid	Mid-High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
C-Taper	X	130g	1.8	0.355	Low	Low	Firm
	S	120g	1.9	0.355	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
C-Taper 105 (Parallel)	X	109g	1.9	0.370	Mid	Mid	Firm
	S	105g	2.2	0.370	Mid	Mid	Mid
	R	102g	2.3	0.370	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Hi-REV 2.0 125 Wedge	S	125g	1.5	0.355	Mid	Mid	Mid
Hi-REV 2.0 115 Wedge	R	115g	1.3	0.355	Mid	Mid	Mid

CUSTOM IRON SHAFT OPTIONS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
KBS 90 (Parallel)	S	95g	2.1	0.370	High	High	Soft
	R	95g	2.1	0.370	High	High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
MAX 85 (Parallel)	S	108g	2.1	0.370	High	High	Soft
	R	108g	2.1	0.370	High	High	Soft

MITSUBISHI CHEMICAL mca-golf.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tensei Blue (Parallel)	S	80g	2.1	0.370	Mid-High	Mid	Mid
	R	77g	2.2	0.370	High	Mid	Mid
	A	74g	2.2	0.370	High	Mid-High	Mid

NIPPON nipponshaft.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
NS Pro Modus 3 130	X	130g	1.5	0.355	Mid	Low-Mid	Firm
	S	130g	1.5	0.355	Mid	Low-Mid	Firm
	R	130g	1.5	0.355	Mid	Low-Mid	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
NS Pro Modus 3 120	X	120g	1.4	0.355	Mid-Low	Mid-Low	Firm
	S	120g	1.5	0.355	Mid-Low	Mid-Low	Firm
	R	120g	1.6	0.355	Mid-Low	Mid-Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
NS PRO Modus 105	S	105g	1.7	0.355	Mid	Mid	Mid-Firm
	R	103g	1.9	0.355	Mid	Mid	Mid-Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
850 Nippon NS (0.370)	S	91g	1.9	0.370	High	High	Soft
	R	87g	2.1	0.370	High	High	Soft
850 Nippon NS	S	91g	1.9	0.355	High	High	Soft
	R	87g	2.1	0.355	High	High	Soft

CUSTOM IRON SHAFT OPTIONS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
NS Pro 950GH (Parallel)	S	98g	1.9	0.370	High	High	Soft
	R	95g	2.0	0.370	High	High	Soft
NS Pro 950GH	S	98g	1.9	0.355	High	High	Soft
	R	95g	2.0	0.355	High	High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
NS PRO 840 (Parallel)	S	84g	1.9	0.370	Mid	Mid	Mid-Firm
	R	82g	2.1	0.370	High	High	Soft

PROJECT X pxshaft.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Project X LZ 6.5	X	125g	1.3	0.355	Mid	Mid-Low	Mid
Project X LZ 6.0	S	120g	1.7	0.355	Mid	Mid-Low	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Project X 6.5	X	125g	1.2	0.355	Low	Mid-Low	Low
Project X 6.0	S	120g	1.4	0.355	Low	Mid-Low	Mid
Project X 5.5	R	115g	2.0	0.355	Low	Mid-Low	Mid

TRUE TEMPER truetemper.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Dynamic Gold	X100	130g	1.5	0.355	Low	Low	Firm
	S300	130g	1.8	0.355	Low	Low	Firm
	R300	127g	1.8	0.355	Low	Low	Firm
Dynamic Gold (Parallel)	X100	130g	1.5	0.370	Low	Low	Firm
	S300	130g	1.4	0.370	Low	Low	Firm
	R300	127g	2.0	0.370	Low	Low	Firm



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Dynamic Gold 105	X100	100g	1.9	0.355	Mid	Mid	Firm
	S300	97g	2.0	0.355	Mid	Mid	Firm
	R300	94g	2.1	0.355	Mid	Mid	Firm

CUSTOM IRON SHAFT OPTIONS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Dynamic Gold XP100 (Parallel)	S300	107g	2.0	0.370	High	High	Mid
	R300	105g	2.1	0.370	High	High	Mid

UST ustmamiya.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Recoil 95	S (F4)	93g	3.2	0.355	Mid	Mid	Mid
	R (F3)	93g	3.2	0.355	Mid	Mid	Mid



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Recoil 460 ES (Parallel)	S (F4)	67g	4.6	0.370	High	High	Soft
	R (F3)	64g	4.8	0.370	High	High	Soft
	A (F2)	63g	4.8	0.370	High	High	Soft
Recoil 450 ES (Parallel)	L (F1)	55g	5.2	0.370	High	High	Soft



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Recoil 780 w/ SMACWRAP	S (F4)	86	3.7	0.355	Mid	Mid	Mid
Recoil 760 w/ SMACWRAP	R (F3)	69	4.1	0.355	Mid-High	Mid	Mid
	A (F2)	67	4.2	0.355	Mid-High	Mid	Mid

FUJIKURA fujikuragolf.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Fujikura Atmos 7 (Parallel)	S	83g	2.7	0.370	Mid-High	Mid-High	Mid
Fujikura Atmos 6 (Parallel)	R	72.5g	2.8	0.370	High	Mid-High	Mid
Fujikura Atmos 5 (Parallel)	A	61g	3.1	0.370	High	High	Mid

CUSTOM IRON SHAFT OPTIONS



TAYLORMADE

taylormadegolf.com



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	TIP STIFFNESS
Tuned 45 (Parallel)	L	59.7g	3.1	0.370	High	High	Soft